



Technical Evaluation Report of IT & Furniture Items Tender # 01/2019

1.	PPRA Reference No.	122221T03072019985
2.1	Date and Time Bid Closing for IT Items:	18-07-2019 @ 11:00 A.M
	Date and Time Bid Opening for IT Items:	18-07-2019 @ 11:30 A.M
2.2	Date and Time Bid Closing for Furniture Items:	19-07-2019 @ 11:00 A.M
	Date and Time Bid Opening for Furniture Items:	19-07-2019 @ 11:30 A.M
3.1	No. of bids received for I.T Items:	04 (Four)
3.2	No. of bids received for Furniture Items:	01 (One)
4.	Item(s):	IT & Furniture Items

The tender opening was held on 18-07-2019 @ 11:30 A.M for IT items & on 19-07-2019 @ 11:30 A.M for Furniture items. Participated bidders/firms are as under;

For IT Items:

1. M/S Jeelani Enterprises
2. M/S Protean Engineering Services
3. M/S Fest Enterprises
4. M/S CommTel Systems

For Furniture Items:

1. M/S Master Wood And Steel Center

Reports from committee were received and detail is as under:

A I.T ITEMS								
S. #	Item Name	Qty.	Jeelani Enterprises	Fest Enterprises	Protean Engineering Services	CommTel Systems	Technically Qualified Firm(s)	Technically Disqualified Firm(s) with Reason(s)
1	UPS	01	10 KVA, ONL-10KLCD	Not Quoted	UPS APC-SRC10XI 10KVA	Deutsche Power ES110, 10KVA Electra series, 1 Year Warranty and support	Jeelani Enterprises, Protean Engineering Services, CommTel Systems	-
2	Batteries	36	Long 12v 32 batteries	12v, 18AH, Volta Brand, Model 6-GFM-18	Leoch Dry Batteries for True online UPS, 12 Volts, 18AH with Rack/Cabinet	Deutsche 12V, 18 AH, Dry Batteries 6 Months warranty and support	Jeelani Enterprises, Protean Engineering Services, CommTel Systems	Fest Enterprises Reason(s): • as the offered batteries does not



SCWU

The Government
Sadiq College Women
University Bahawalpur Pakistan

A I.T ITEMS								
S. #	Item Name	Qty.	Jeelani Enterprises	Fest Enterprises	Protean Engineering Services	CommTel Systems	Technically Qualified Firm(s)	Technically Disqualified Firm(s) with Reason(s)
								comply with the required imported standard of dry batteries.
3	Smoke detector	02	Not Quoted	Not Quoted	800371 Honey Well Gent Conventional S-Quad Optical Smoke detector +805590 (Base)	Not Quoted	Protean Engineering Services	-
4	Wi-Fi access point	01	CISCO AIR-AP1852I-E-K9 CON-SNT-AIRAP18A	Not Quoted	Not Quoted	Not Quoted	Jeelani Enterprises	-
5	2x2 lights	16	Not Quoted	Not Quoted	2x2 Lights Silkite/Osaka	Not Quoted	Protean Engineering Services	-
6	Electric distribution box	01	Not Quoted	Electric DB, Size 16x22, Powder Coating	Electric Distribution Box 16x22, 16 SWG	Not Quoted	Fest Enterprises, Protean Engineering Services	-
7	Three phase breaker	01	Not Quoted	MCCB breaker, 3-pole, 100 AMP, breaking capacity 18KA	LS 4 Core, 100A Three phase breaker	Not Quoted	Fest Enterprises, Protean Engineering Services	-
8	Single breaker	03	Not Quoted	MCB band 20 Amp, breaking capacity, Model LG-Korea	20A Single Breaker	Not Quoted	Fest Enterprises, Protean Engineering Services	-
9	Breaker	02	Not Quoted	Breaker MCB band 63 Amp, 4 Core Mccb brand best quality	NBC 4 Core, 63A Breaker	Not Quoted	Fest Enterprises, Protean Engineering Services	-

B FURNITURE ITEMS						
Sr. No.	Item Name	Specifications	Qty.	Master Wood & Steel Center	Technically Qualified Firm(s)	Technically Disqualified Firm(s) with Reason(s)
1	Executive Tables	2x8x2.5 Feet WxLxH Made Of Veneer Sheet With Solid Seesham Wooden Frame, Spirit Polish And Lacquer Finish. Good Quality	02	2x8x2.5 Feet WxLxH Made Of Veneer Sheet With Solid Seesham Wooden Frame, Spirit Polish And Lacquer Finish. Good Quality	---	Master Wood & Steel Center Reason(s): Technically rejected due to non-submission of require documents to the concerned technical committee.

20/10/2018

[Signature]



B	FURNITURE ITEMS					
Sr. No.	Item Name	Specifications	Qty.	Master Wood & Steel Center	Technically Qualified Firm(s)	Technically Disqualified Firm(s) with Reason(s)
2	Wooden Chairs	Back Height From Floor. (37 Inch) Width Total 23 Inch Total Seat Size 20×20 Inch With 16 Inch Height 27 Inch Arm Rest With Made Of Seesham Wood And Covered With Foam And Leathrate Quality Of Foam Should Be Of Best Class With At Least 10 Years Warranty. Seasoned Sheesham Wood, Poshish With Best Quality Of Leathrate, Spirit Polish, Lacquer Finish. Good Quality Chair	50	Back Height From Floor. (37 Inch) Width Total 23 Inch Total Seat Size 20×20 Inch With 16 Inch Height 27 Inch Arm Rest With Made Of Seesham Wood And Covered With Foam And Leathrate Quality Of Foam Should Be Of Best Class With At Least 10 Years Warranty. Seasoned Sheesham Wood, Poshish With Best Quality Of Leathrate, Spirit Polish, Lacquer Finish.	---	Master Wood & Steel Center Reason(s): Technically rejected due to non-submission of require documents to the concerned technical committee.

Financial bid shall be opened on **10-10-2019** (Thursday) @ 11:00 A.M in the office undersigned for the technically qualified bidder only.

Convener Purchase Committee

10/10/2019